


## DSP4310/DSP4320/DSP4330

### 100W/200W/300W 3" Commercial Surface-Mount Column Speaker



#### Description

The DSP43 Series Column Speakers come in three power options: 100W (DSP4310), 200W (DSP4320), and 300W (DSP4330). Each model features high-sensitivity full-range drivers and tweeters, delivering powerful, clear audio. The linear acoustic design ensures focused sound projection and excellent speech intelligibility. A rugged aluminum alloy housing, complemented by ABS panels and a metal grille, provides durability and a sleek appearance. This series is ideal for medium to large conference rooms, educational facilities, transportation hubs, and houses of worship.

## Features

- Multiple power options: Available in 100W, 200W, and 300W models to suit different sound reinforcement requirements.
- High-performance drivers: DSP4310 features 4 × 3" full-range drivers + 1 × 1" tweeter; DSP4320 features 8 × 3" full-range drivers + 2 × 1" tweeters; DSP4330 features 12 × 3" full-range drivers + 3 × 1" tweeters.
- Clear and focused sound: Linear acoustic design delivers strong directivity, high clarity, and a well-balanced frequency response.
- Durable construction: Aluminum alloy enclosure with ABS top and bottom caps, plus a tightly fitted metal grille, ensures long-lasting reliability.
- Wide coverage angle: 140° horizontal × 20° vertical dispersion provides even sound distribution throughout the listening area.
- Versatile applications: Ideal for conference rooms, schools, public transport stations, restaurants, and houses of worship.


## Specifications

Model	DSP4310	DSP4320	DSP4330
Drive Unit	FR: 3"×4 HF: 1"×1	FR:3"×8 HF: 1"×2	FR:3"×12 HF: 1"×3
Rated Power	100W	200W	300W
Impedance	8Ω	8Ω	8Ω
Frequency Response	125Hz~20kHz	120Hz~19kHz	110Hz~16kHz
Sensitivity	91dB±3dB	91dB±3dB	91dB±3dB
Max. SPL	111dB±3dB	114dB±3dB	116dB±3dB
Coverage Angle	140°(H)×20°(V)	140°(H)×20°(V)	140°(H)×20°(V)
Product Dimensions	497×92×130mm	957×92×130mm	1417×92×130mm
Net Weight	3.57kg	6.87kg	12.5kg


## Product Information

### Frequency Response Characteristic


DSP4310



DSP4320




## DSP4330




## Distortion Characteristic

### DSP4310



### DSP4320



### DSP4330

